



Purchase Order No	Date	Fitter's Phone No.
Ordered by	Patient	Age
Street	Ship to	
City State Zip	Street	
Fitter	City State Zip	



**STOCKINGS (Letters, Dotted Lines)**


LEFT			RIGHT		
Girth	Length		Girth	Length	
I	F to I		I	F to I	
H	F to H		H	F to H	
G	F to G		G	F to G	
F	Floor to F		F	Floor to F	
E	Floor to E		E	Floor to E	
D	Floor to D		D	Floor to D	
X	Floor to X		X	Floor to X	
C	Floor to C		C	Floor to C	
O	Flex to heel tip	X	O	Flex to heel tip	X
B	Heel tip to B		B	Heel tip to B	
A	Heel tip to A		A	Heel tip to A	
BT	Heel tip to BT		BT	Heel tip to BT	



**GARTER BELTS AND CHAPS (Numbers, Solid Lines)**

1		<input type="checkbox"/> Left Leg
2		<input type="checkbox"/> Right Leg

**Form F-030 IMF - for Use Without Paper Tapes**



Please refer to our current price list for a description of these items

**HOTLINE SERVICE**

Guaranteed delivery in 4-5 business days, or less) **Additional Cost**

Sex:  M  F

**REQUIRED Allergies:**

Allergic to silicone?  Yes,  No,  NA | Allergic to metal?  Yes,  No,  NA

**Knee Length:**  L  R |  **Thigh Length:**  L  R

**Chaps:**  300  L  R |  307 |  Both

**WAIST LENGTH SUPPORTS:**

See Form F-029

**OPTIONS & EXTRAS:**

● **Zipper:**  Inside (or)  Outside  
 Open (or)  Closed

● **Garment Color No:** \_\_\_\_\_

● **Toe Caps:**  None/Open (or)  Soft\* (or)  Self\*  
(\*Indicate Foot Length in Diagram)

● **Reinforcement:**  Heel |  Knee Front  
 Knee Back |  Inner Thigh

● **Flex/Contracture Seam:**  Instep |  Knee Back

● **Elastic Band:** Regular  1"  2"  
(or) Silicone  1"  2"

● **Other Option(s):** \_\_\_\_\_

**INDICATIONS:**

- 20-30 mm Hg:** Varicose veins (mild), arterial insufficiency with venous insufficiency.
- 22-28 mm Hg:** Burns — prevention of hypertrophic scars.
- 30-40 mm Hg:** Varicose veins (moderate), assist fluid return, leg fatigue, stasis dermatitis, postphlebotic syndrome, post surgical stripping of sclerosing, postfracture edema, prophylactic treatment of edema and phlebitis, lymphedema (moderate).
- 40-50 mm Hg:** Chronic venous insufficiency, stasis dermatitis (severe), lymphedema (severe), chronic venous insufficiency (severe), orthostatic hypotension (moderate).
- 50-60 mm Hg:** Orthostatic hypotension (severe), postthrombosis (severe), intractable edema.

**Contraindications:** Non-ambulatory use, severe arterial insufficiency, cutaneous infection, acute hypodermatitis, wet dermatitis, dermatitis.

**Check this box if there are instructions on other side**